



ANTHEM TIRES

Tires that moves the world...

ANTHEM TIRES

Tires that moves the world...



MIGHTY INTERNATIONAL

www.mightyintl.com



COMMERCIAL SIZES

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
1	4.00-8	TT/TL	PLUS	MI-301	8	3.8	5500
2	4.00-8	TT/TL	MILLER	MI-302	8	3.8	5500
3	4.50-10	TT/TL	PLUS	MI-303	8	4.3	2800
4	5.00-12	TT	PRO RIB	MI-304	8	7.00	2300
5	6.00-14	TT	RIB	MI-305	8	11.50	2300
6	6.50-14	TT	RIB	MI-305	10	11.50	1200
7	6.50-16	TL	RIB	MI-305	10	13.20	850
8	7.00-15	TL	RIB	MI-305	12	20.00	850
9	7.00-16	TT	RIB	MI-305	14	26.00	750
10	7.00-16	TT	CARGO-LUG	MI-307	16	28.00	750
11	7.50-16	TT	RIB	MI-305	16	9.00	700
12	7.50-16	TL	LUG / CARGO-LUG	MI-306, 307	16	28.00	700
13	8.25-16	TT	RIB	MI-305	16	29.00	610
14	8.25-16	TT	LUG	MI-306	16	31.00	610
15	9.00-20	TT	RIB	MI-305	16	44.00	330
16	10.00-20	TT	RIB, LUG	MI-305, 306	16	50.00	280
17	11.00-20	TT	RIB	MI-305	18	52.00	240
18	12.00-20	TT	RIB	MI-305	18	62.00	220

PATTERN PICTURES



PLUS

MI-301



MILLER

MI-302



PRO-RIB

MI-304



RIB

MI-305



LUG

MI-306



CARGO-LUG

MI-307



TRACTOR FRONT

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
19	7.00-16	TT	R-1	MI-401	8	10.50	600
20	8.00-16	TT	R-1	MI-401	6	15.70	600
21	600-16	TT	F-2	MI-402	8	10.00	1150
22	600-16	TT	F-2	MI-402	8	11.00	1150
23	6.00-16	TL	F-2	MI-402	8	11.00	1150
24	6.00-16	TL	3-RIB NOTCH	MI-403	10	11.00	1150
25	6.00-16	TL	RIB NOTCH	MI-405	10	11.00	1150
26	6.50-16	TT	F-2	MI-402	8	14.00	1100
27	7.50-16	TT	F-2	MI-402	8	15.00	750
28	7.50-16	TT	F-2	MI-402	8	15.50	750
29	7.50-16	TT	F-2	MI-402	8	16.00	750
30	7.50-16	TT	F-2	MI-402	10	16.50	750
31	7.50-18	TT	F-2	MI-402	6	16.50	550
32	7.50-18	TT	F-2	MI-402	8	17.00	550
33	7.50-20	TT	F-2	MI-402	8	19.00	550
34	10.00-16	TT	3 RIB	MI-403	10	24.00	474
35	10.00-16	TL	3 RIB	MI-403	10	24.00	474
36	10.00-16	TT	3 RIB	MI-403	12	25.00	474
37	10.00-16	TL	3 RIB	MI-403	12	25.00	474
38	11.00-16	TT	3 RIB	MI-403	10	29.00	375
39	11.00-16	TL	3 RIB	MI-403	10	29.00	375
40	11.00-16	TT	3 RIB	MI-403	12	30.00	375
41	11.00-16	TL	3 RIB	MI-403	12	30.00	375
42	10.00-16	TT	4 RIB	MI-404	10	26.00	474
43	10.00-16	TL	4 RIB	MI-404	10	26.00	474
44	10.00-16	TT	4 RIB	MI-404	12	27.00	474
45	10.00-16	TL	F-2	MI-402	10		
46	11.00-16	TT	4 RIB	MI-404	10	30.00	375
47	11.00-16	TL	4 RIB	MI-404	10	30.00	375
48	11.00-16	TT	4 RIB	MI-404	12	31.00	375
49	11.00-16	TL	4 RIB	MI-404	12	31.00	375
50	11.00-16	TL	F-2	MI-402	10		
51	14L-16.1	TL	4 RIB	MI-404	10	35.50	400

PATTERN PICTURES



F2 / 3 RIB MI-402



4 RIB NOTCH MI-405



3 RIB NOTCH MI-403



4 RIB MI-404



R-1 MI-401



TRACTOR REAR TYRES

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
52	8.3-24	TT	R-1	MI-451	6		
53	9.5-22	TT/TL	R-1	MI-451	10	31.50	250
54	9.5-24	TT	R-1	MI-451	8		
55	11.2-24	TT/TL	R-1	MI-451	8		
56	11.2-24	TL	IRRIGATION	MI-455	8		
57	11.2-38	TL	IRRIGATION	MI-455	8	52.00	100
58	14.9-24	TT/TL	R-1	MI-451	8		
59	14.9-24	TL	IRRIGATION	MI-455	8		
60	14.9-24	TT	R-1	MI-451	12		
61	12.4-24	TT	R-1	MI-451	12		
62	12.4-28	TT/TL	R-1	MI-451	8	44.00	185
63	12.4-28	TT/TL	R-1	MI-452	10	45.00	180
64	12.4-28	TT/TL	R-1	MI-451	12	46.00	180
65	12.4-28	TT	R-1 HEAVY DUTY	MI-452	12		
66	13.6-28	TT/TL	R-1	MI-451	8	54.00	160
67	13.6-28	TT/TL	R-1	MI-451	10	55.00	160
68	13.6-28	TT/TL	R-1	MI-451	12	56.00	160
69	13.6-28	TT	R-1 HEAVY DUTY	MI-452	14		
70	14.9-28	TT/TL	R-1	MI-451	8	63.00	125
71	14.9-28	TT/TL	R-1	MI-451	10	72.00	125
72	14.9-28	TT/TL	R-1	MI-451	12	73.00	125
73	14.9-28	TT	R-1 HEAVY DUTY	MI-452	12		
74	16.9-28	TT/TL	R-1	MI-451	10	86.00	100
75	16.9-28	TT/TL	R-1	MI-451	12	87.00	100
76	16.9-30	TT/TL	R-1	MI-451	10	78.00	90
77	16.9-30	TT/TL	R-1	MI-451	12	80.00	90
78	18.4-26	TT	R-1	MI-451	12		
79	18.4-30	TT/TL	R-1	MI-451	10	103.00	70
80	18.4-30	TT/TL	R-1	MI-451	12	104.00	70
81	18.4-30	TT	R-1	MI-451	14	98.00	
82	18.4-30	TT	R-1	MI-451	16	100.00	
83	18.4-34	TT/TL	R-1	MI-451	10	102.00	50
84	18.4-34	TT/TL	R-1	MI-451	12	104.00	50
85	11.2-38	TT/TL	R-1	MI-451	10		
86	15.5-38	TT/TL	R-1	MI-451	12	82.50	70
87	15.5/80-24	TL	R-1	MI-451	16		
88	18.4-38	TT/TL	R-1	MI-451	10	115.00	56
89	18.4-38	TT/TL	R-1	MI-451	12	116.50	56
90	18.4-38	TT/TL	R-1	MI-451	14	118.00	56
91	20.8-38	TT/TL	R-1	MI-451	12	159.00	48
92	20.8-38	TT/TL	R-1	MI-451	14	160.00	48

PATTERN PICTURES





NON DIRECTIONAL

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
93	11.2-24	TT/TL	ND	MI-461	8	33.00	240
94	14.9-24	TT/TL	ND	MI-461	8	48.00	172
95	11.2-38	TT/TL	ND	MI-461	8	52.00	100

IMPLEMENT (F-3)

96	11L-16	T/L	F-3	MI-481	10	23.00	560
97	11L-16	T/L	F-3	MI-481	12	24.00	560

IMPLEMENT (I-1)

98	9.5L-14	TT	I-1	MI-488	8	12.00	900
99	9.5L-14	T/L	I-1	MI-488	8	12.50	900
100	11L-14	TT	I-1	MI-488	8	15.00	840
101	11L-14	T/L	I-1	MI-488	8	15.50	840
102	11L-14	T/L	I-1	MI-488	12	16.00	840
103	6.7L-15	T/L	I-1	MI-488	8	9.60	850
104	9.5L-15	TT	I-1	MI-488	8	13.00	850
105	9.5L-15	T/L	I-1	MI-488	8	13.50	850
106	9.5L-15	T/L	I-1	MI-489	8	15.50	850
107	9.5L-15	TL	I-1	MI-488	10	16.10	830
108	11L-15	TT	I-1	MI-488	8	16.00	750
109	11L-15	T/L	I-1	MI-488	8	16.50	750
110	11L-15	T/L	F-1	MI-489	8	19.00	750
111	11L-15	TL	I-1	MI-488	10	19.90	730
112	12.5L-15	TT	I-1	MI-488	12	21.00	600
113	12.5L-15	T/L	I-1	MI-488	12	22.00	600
114	7.60L-15	TT	I-1	MI-488	8	11.00	818
115	7.60L-15	T/L	I-1	MI-488	8	11.50	818
116	11L-16	TT	I-1	MI-488	10	18.00	600
117	11L-16	T/L	I-1	MI-488	10	18.50	600
118	12.5L-16	TT	I-1	MI-488	10	26.00	500
119	12.5L-16	T/L	I-1	MI-488	14	26.50	500
120	14L-16.1	T/L	I-1	MI-488	10	35.50	400
121	16.5L-16.1	T/L	I-1	MI-488	14	53.50	300

IMPLEMENT (AW)

122	10.0/80-12	TL	AW	MI-481	10		
123	10.5/65-16	TL	AW	MI-481	14		
124	10.0/75-15.3	TL	AW	MI-481	12		
125	11.5/80-15.3	TL	AW	MI-481	12		
126	12.5/80-15.3	TL	AW	MI-481	14		
127	12.5/80-18	TL	AW	MI-481	12		

PATTERN PICTURES





HIGH SPEED IMPLEMENT (I-1)

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
128	9.5L-14	TT	I-1	MI-488	8	13.00	900
129	9.5L-14	T/L	I-1	MI-488	8	13.50	900
130	11L-14	TT	I-1	MI-488	8	16.00	840
131	11L-14	T/L	I-1	MI-488	8	16.50	840
132	11L-14	T/L	I-1	MI-488	12	17.00	840
133	6.7L-15	T/L	I-1	MI-488	8	10.00	850
134	9.5L-15	TT	I-1	MI-488	8	14.00	850
135	9.5L-15	T/L	I-1	MI-488	8	14.50	850
136	9.5L-15	T/L	I-1	MI-488	8	16.50	850
137	11L-15	TT	I-1	MI-488	8	17.00	750
138	11L-15	T/L	I-1	MI-488	8	17.50	750
139	11L-15	T/L	I-1	MI-488	8	20.00	750
140	12.5L-15	TT	I-1	MI-488	12	22.00	600
141	12.5L-15	T/L	I-1	MI-488	12	23.00	600
142	7.60L-15	TT	I-1	MI-488	8	12.00	818
143	7.60L-15	T/L	I-1	MI-488	8	12.50	818
144	11L-16	TT	I-1	MI-488	10	19.00	600
145	11L-16	T/L	I-1	MI-488	10	19.50	600
146	12.5L-16	TT	I-1	MI-488	10	27.00	500
147	12.5L-16	T/L	I-1	MI-488	14	27.50	500
148	14L-16.1	T/L	I-1	MI-488	10	36.50	400
149	16.5L-16.1	T/L	I-1	MI-488	14	54.50	300

AW IMPLEMENTS

150	400/60-15.5	T/L	IMP	MI-444	12	34.00	550
151	400/60-15.5	T/L	IMP	MI-444	14	35.00	550

AGRICULTURAL IMPLEMENT

152	10.0/80-12	TL	IMP	MI-444	8	14.00	725
153	10.0/75-15.3	TL	IMP	MI-444	10	18.00	610
154	10.0/75-15.3	TL	IMP	MI-444	12	18.50	610
155	10.0/75-15.3	TL	IMP	MI-444	14	19.00	610
156	10.5/75-15.3	TL	IMP	MI-444	16	19.50	610
157	11.5/80-15.3	TL	IMP	MI-444	12	24.00	510
158	11.5/80-15.3	TL	IMP	MI-444	14	24.50	510
159	11.5/80-15.3	TL	IMP	MI-444	16	25.00	510
160	13.0/65-18	TL	IMP	MI-444	14	27.50	375
161	13.0/65-18	TL	IMP	MI-444	16	30.00	375

MPT

162	12.5/80-18	TL	IMP	MI-444	14	41.00	350
163	12.5/80-18	TL	MPT	MI-445	16	42.50	350

PATTERN PICTURES





GRADER (G-2)

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
164	1300-24	TT	G-2	MI-701	12	58.00	160
165	1300-24	T/L	G-2	MI-701	12	58.00	160
166	1300-24	TT	G-2	MI-701	14	59.00	160
167	1300-24	T/L	G-2	MI-701	14	59.00	160
168	1300-24	TT	G-2	MI-701	16	60.00	160
169	1300-24	T/L	G-2	MI-701	16	60.00	160
170	1400-24	TT	G-2	MI-701	12	71.00	144
171	1400-24	T/L	G-2	MI-701	12	71.00	144
172	1400-24	TT	G-2	MI-701	14	72.00	144
173	1400-24	T/L	G-2	MI-701	14	72.00	144
174	1400-24	TT	G-2	MI-701	16	73.00	144
175	1400-24	T/L	G-2	MI-701	16	73.00	144
176	14.00-24	TL	E-3	MI-705	20		
177	14.00-25	TL	E-3	MI-705	20		
178	16.9-24	TL	G-2	MI-701	16		
179	17.5-25	TL	G-2 / L-2	MI-701	16		
180	17.5-25	TL	E-3	MI-705	20		
181	20.5-25	TL	E-3	MI-705	16		
182	23.5-25	TL	E-3	MI-705	20		

SKID STEER

183	10-16.5	T/L	L-2	MI-802	10	21.00	550
184	10-16.5	T/L	L-2	MI-802	12	22.00	550
185	10-16.5	TL	L-2	MI-802	10	28.50	540
186	10-16.5	TL	L-5	MI-805	12	29.50	540
187	12-16.5	T/L	L-5	MI-805	10	26.00	400
188	12-16.5	TL	L-2	MI-802	12		400
189	12-16.5	T/L	L-2	MI-802	12	26.50	400
190	12-16.5	T/L	L-2	MI-802	14	41.00	400
191	12-16.5	TL	L-5	MI-805	14		400
192	12-16.5	T/L	L-2	MI-802	12	31.00	400
193	14-17.5	T/L	L-2	MI-802	14	53.00	300
194	14-17.5	TL	L-2	MI-802	14	55.00	300
195	15-19.5	T/L	L-2	MI-802	14	60.50	220
196	15-19.5	T/L	L-2	MI-802	16	62.00	220

FORK LIFT

197	5.00-8	TT	FORK LIFT	MI-851	10	8.50	1180
198	6.00-9	TT	FORK LIFT	MI-851	10	9.80	1100
199	6.50-10	TT	FORK LIFT	MI-851	10	12.00	1000
200	6.50-10	TT	FORK LIFT	MI-851	12	12.00	1000
201	7.00-12	TT	FORK LIFT	MI-851	12	17.00	725
202	7.00-12	TT	FORK LIFT	MI-851	14	17.00	725
203	8.15-15	TT	FORK LIFT	MI-851	12	23.00	550
204	8.15-15 (28X9-15)	TT	FORK LIFT	MI-851	14	23.00	550
205	8.25-15	TT	FORK LIFT	MI-851	12	30.00	300
206	8.25-15	TT	FORK LIFT	MI-851	14	30.00	300
207	8.25-15	TT	FORK LIFT	MI-851	16	30.00	300

PATTERN PICTURES



G-2 MI-701



E-3 MI-705



L-5 MI-805



L-2 MI-802



FORK LIFT MI-851



FLOATATION

S.NO	SIZE	TT/TL	PATTERN	CODE	PR	WT(KGS)	1x40'
208	31/13.5-15	TL	FLOATATION	MI-777	8	22.00	400
209	31/13.5-15	TL	FLOATATION	MI-777	10	23.00	400
210	31/15.5-15	TL	FLOATATION	MI-777	8	31.00	400
211	31/15.5-15	TL	FLOATATION	MI-777	10	32.00	400
212	400/60-15.5	TL	FLOATATION	MI-777	10		
213	400/60-15.5	TL	FLOATATION	MI-777	14		
214	31/15.5-16	TL	FLOATATION	MI-777	10	27.00	400

INDUSTRIAL TRACTOR (R-4)

215	16.9-24	TL	R-4	MI-780	10		
216	16.9-28	TL	R-4	MI-780	10	113.00	100
217	16.9-28	TL	R-4	MI-780	12		
218	19.5L-24	TL	R-4	MI-780	12	97.00	115
219	19.5L-24	TL	R-4	MI-780	14	98.00	115
220	19.5L-24	TL	R-4	MI-780	16		
221	21L-24	TL	R-4	MI-780	10	102.00	100
222	21L-24	TL	R-4	MI-780	12	107.00	100

COMPACTOR-3

223	23.1-26	TL	R-3		20		
-----	---------	----	-----	--	----	--	--

PATTERN PICTURES



R-4 MI-780



FLOTATION MI-777



R-3 MI-790

NEW SIZES

S.NO	SIZE	PATTERN
1	18 x 9.5-8	R-1
2	18 x 8.5-8	R-4
3	18 x 8.50-10	R-1
4	18 x 8.5-10	R-4
5	6.00-12	R-1
6	23 x 8.50-12	R-1
7	23 x 10.50-12	R-1
8	26 x 12.00-12 305/60-12	R-1
9	23 x 8.50-14 215/55-14	R-4
10	25 x 5.8-14	
11	25 x 8.5-14	R-4
12	27 x 8.5-15	R-4
13	9.5-16	R-1

COMPLETE RANGE OF

- Nylon / Bias Tires
- Solid Tires
- 100% Butyl Tubes
- 2 / 3 Wheelers Tires
- Agricultural Tires
- Implement Tires
- OTR Tires
- Commercial Tires
- Industrial Tires
- Solid Tires



ANTHEM TIRES
Tires that moves the world...

MIGHTY INTERNATIONAL
LUDHIANA (PUNJAB) INDIA

+91-7340992009 +91-9779268680